






PERF PIPE TRENCH DETAIL

N.T.S



PERF PIPE TRENCH DETAIL NOTES:

1. UNDER IMPERVIOUS SURFACES, PLACE SOLID PIPE AND BACK FILL WITH AB.
2. YARD DRAIN SYSTEMS SHALL HAVE POSITIVE FLOW AND DRAIN INTO MAIN STORM SYSTEM DRAIN INLETS.



PLAN VIEW

N.T.S



YARD DRAIN DETAIL

N.T.S

NOTES:

1. THIS DETAIL IS REQUIRED AS DIRECTED BY THE DEPARTMENT OF PUBLIC WORKS.
2. YARD DRAIN TO BE 12'X12' MIN., OLD CASTLE V-12 DRAIN BOX, V12-71W CAST IRON GRATE, OR AS APPROVED BY THE DEPARTMENT OF PUBLIC WORKS OR ENGINEER
3. PRECAST OR POUR IN PLACE 6 SACK CONCRETE METAL GRATE.
4. PERF PIPE TO BE 6" MIN WHEN LESS THAN 10 YARD DRAINS AND 8" MIN MORE THAN 10
5. CAST-IN-PLACE BASE HEIGHT VARIES AND AS NEEDED PER PIPE DEPTH

YUBA COUNTY
DEPARTMENT OF PUBLIC WORKS

YARD DRAIN &
PERF PIPES

APPROVED BY:

DATE: 8/12/20

412